

<b>Symbol</b>	<b>Name</b>
<a href="#">ABCB9</a>	ATP-binding cassette, sub-family B (MDR/TAP), member 9
<a href="#">ABCC3</a>	ATP-binding cassette, sub-family C (CFTR/MRP), member 3
<a href="#">AGRN</a>	agrin
<a href="#">AK1</a>	adenylate kinase 1
<a href="#">AK2</a>	adenylate kinase 2
<a href="#">AKR1B10</a>	aldo-keto reductase family 1, member B10 (aldose reductase)
<a href="#">AP1G2</a>	adaptor-related protein complex 1, gamma 2 subunit
<a href="#">AP1S1</a>	adaptor-related protein complex 1, sigma 1 subunit
<a href="#">APBB3</a>	amyloid beta (A4) precursor protein-binding, family B, member 3
<a href="#">APOE</a>	apolipoprotein E
<a href="#">ARG2</a>	arginase 2
<a href="#">ARHGAP10</a>	Rho GTPase activating protein 10
<a href="#">ARNT</a>	aryl hydrocarbon receptor nuclear translocator
<a href="#">BAX</a>	BCL2-associated X protein
<a href="#">BLVRA</a>	biliverdin reductase A
<a href="#">BRD4</a>	bromodomain containing 4
<a href="#">C11ORF30</a>	chromosome 11 open reading frame 30
<a href="#">C18ORF25</a>	chromosome 18 open reading frame 25
<a href="#">C22ORF29</a>	chromosome 22 open reading frame 29
<a href="#">CASP8</a>	caspase 8, apoptosis-related cysteine peptidase
<a href="#">CCL20</a>	chemokine (C-C motif) ligand 20
<a href="#">CCNJL</a>	cyclin J-like
<a href="#">CXCR4</a>	chemokine (C-X-C motif) receptor 4
<a href="#">CYP2E1</a>	cytochrome P450, family 2, subfamily E, polypeptide 1
<a href="#">DAZAP2</a>	DAZ associated protein 2
<a href="#">DDX11</a>	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11
<a href="#">DNMT3A</a>	DNA (cytosine-5-)-methyltransferase 3 alpha
<a href="#">EML3</a>	echinoderm microtubule associated protein like 3
<a href="#">ETV1</a>	ets variant 1
<a href="#">EVPL</a>	envoplakin
<a href="#">EYA4</a>	EYA transcriptional coactivator and phosphatase 4
<a href="#">FAM188A</a>	family with sequence similarity 188, member A
<a href="#">GK</a>	glycerol kinase
<a href="#">GOSR2</a>	golgi SNAP receptor complex member 2
<a href="#">GPD2</a>	glycerol-3-phosphate dehydrogenase 2 (mitochondrial)
<a href="#">GUSBP3</a>	glucuronidase, beta pseudogene 3
<a href="#">HIRA</a>	histone cell cycle regulator
<a href="#">HNMT</a>	histamine N-methyltransferase
<a href="#">IFI27</a>	interferon, alpha-inducible protein 27
<a href="#">IFI44L</a>	interferon-induced protein 44-like
<a href="#">IFI6</a>	interferon, alpha-inducible protein 6
<a href="#">IFITM1</a>	interferon induced transmembrane protein 1
<a href="#">ING4</a>	inhibitor of growth family, member 4
<a href="#">ITSN1</a>	intersectin 1 (SH3 domain protein)
<a href="#">KIAA1462</a>	KIAA1462
<a href="#">KIDINS220</a>	kinase D-interacting substrate, 220kDa
<a href="#">KLF3</a>	Kruppel-like factor 3 (basic)

<a href="#">KLHL25</a>	kelch-like family member 25
<a href="#">KLK10</a>	kallikrein-related peptidase 10
<a href="#">LMNB1</a>	lamin B1
<a href="#">LPIN2</a>	lipin 2
<a href="#">LTBP4</a>	latent transforming growth factor beta binding protein 4
<a href="#">MATR3</a>	matrin 3
<a href="#">METTL3</a>	methyltransferase like 3
<a href="#">MID2</a>	midline 2
<a href="#">MMP13</a>	matrix metalloproteinase 13
<a href="#">MTAP</a>	methylthioadenosine phosphorylase
<a href="#">MYL12A</a>	myosin, light chain 12A, regulatory, non-sarcomeric
<a href="#">MYL4</a>	myosin, light chain 4, alkali; atrial, embryonic
<a href="#">NPAS2</a>	neuronal PAS domain protein 2
<a href="#">NR2C1</a>	nuclear receptor subfamily 2, group C, member 1
<a href="#">NT5M</a>	5',3'-nucleotidase, mitochondrial
<a href="#">NUBPL</a>	nucleotide binding protein-like
<a href="#">NUS1P3</a>	nuclear undecaprenyl pyrophosphate synthase 1 homolog (S. cerevisiae) pseudogene 2
<a href="#">OAS1</a>	2'-5'-oligoadenylate synthetase 1, 40/46kDa
<a href="#">PASK</a>	PAS domain containing serine/threonine kinase
<a href="#">PDCD4</a>	programmed cell death 4 (neoplastic transformation inhibitor)
<a href="#">PDLIM7</a>	PDZ and LIM domain 7 (enigma)
<a href="#">PFDN6</a>	prefoldin subunit 6
<a href="#">PHF21A</a>	PHD finger protein 21A
<a href="#">PIP5K1A</a>	phosphatidylinositol-4-phosphate 5-kinase, type I, alpha
<a href="#">PLEKH01</a>	pleckstrin homology domain containing, family O member 1
<a href="#">PPCS</a>	phosphopantothencysteine synthetase
<a href="#">PPP3R1</a>	protein phosphatase 3, regulatory subunit B, alpha
<a href="#">PRF1</a>	perforin 1 (pore forming protein)
<a href="#">PRKCH</a>	protein kinase C, eta
<a href="#">PRR15L</a>	proline rich 15-like
<a href="#">PRR7</a>	proline rich 7 (synaptic)
<a href="#">PSD3</a>	pleckstrin and Sec7 domain containing 3
<a href="#">PTP4A3</a>	protein tyrosine phosphatase type IVA, member 3
<a href="#">SLC35A2</a>	solute carrier family 35 (UDP-galactose transporter), member A2
<a href="#">SLC39A7</a>	solute carrier family 39 (zinc transporter), member 7
<a href="#">SLC48A1</a>	solute carrier family 48 (heme transporter), member 1
<a href="#">SRRM2</a>	serine/arginine repetitive matrix 2
<a href="#">SULT1A2</a>	sulfotransferase family, cytosolic, 1A, phenol-preferring, member 2
<a href="#">TCAF1</a>	TRPM8 channel-associated factor 1
<a href="#">TMEM254</a>	transmembrane protein 254
<a href="#">TNFRSF25</a>	tumor necrosis factor receptor superfamily, member 25
<a href="#">TNKS2</a>	tanninase, TNF-interacting ankyrin-related ADP-ribosyl transferase 2
<a href="#">TRIM44</a>	tripartite motif containing 44
<a href="#">TTC38</a>	tetratricopeptide repeat domain 38
<a href="#">UBAP1</a>	ubiquitin associated protein 1
<a href="#">UBOX5</a>	U-box domain containing 5
<a href="#">ZNF107</a>	zinc finger protein 107
<a href="#">ZNF358</a>	zinc finger protein 358

---

<a href="#">ZNF592</a>	zinc finger protein 592
<a href="#">ZNF654</a>	zinc finger protein 654
<a href="#">ZNF671</a>	zinc finger protein 671

---