

**Supplementary Table 1.** Disease characteristics of patients with endometrial carcinoma (n=56)

	<b>n</b>	<b>%</b>
<b>Age (years)</b>		
median	52	
range	48-73	
<b>Histology</b>		
endometrioid adenocarcinoma	50	89.3
Serous carcinoma	6	10.7
<b>Histopathological grade</b>		
G1	7	12.5
G2, 3	49	87.5
<b>Primary tumor size (cm)</b>		
<3.5	23	41.1
>3.5	33	58.9
<b>FIGO stage</b>		
I	29	51.8
II-III	27	48.2

FIGO, Federation of Gynecology and Obstetrics

**Supplementary Table 2.** Primers used in this study.

Name	Primer Sequence
<b>Primers for qRT-PCR</b>	
miRNA Universal R	GTGCAGGGTCCGAGGT
miR-192-F	GCGCGCTGACCTATGAATTG
miR-192-R	AGTGCAGGGTCCGAGGTATT
U6-F	CTCGCTTCGGCAGCACA
U6-R	AACGCTTCACGAATTTGCGT
ALX1-F	TAGGGAATTGGTTGGTATTAGTA
ALX1-R	CCCAAAAACCAAATACATTAAC
GAPDH-F	GGGAGCCAAAAGGGTCATCATCTC
GAPDH-R	CCATGCCAGTGAGCTTCCCGTTC
<b>Primers for bisulfite sequencing PCR</b>	
miR-192-5p-F	ATGAAATTAGGTATTGGGAGGTT
miR-192-5p-R	CCCAAATCCATAATCTTTTCAC
<b>Primers for ALX1 3'UTR cloning</b>	
3'UTR –F	ATGAGCTCTGCATTTGAAACAAAGCCAGAGT
3'UTR –R	GCAAGCTTAGACTGGCACATGGTAAACCTATT

Abbreviations: RT, reverse transcription primer; F, forward primer; R, reverse primer; S, sequencing primer; UTR, untranslated region.